

- Vol. 68. Pp. 96–110.
20. UL 1709 «Standard for safety for rapid rise fire tests of protection materials for structural steel».
 21. Gravit M., Gumerova E., Bardin A., Lukinov V. Increase of fire resistance limits of building structures of oil-and-gas complex under hydrocarbon fire. *Springer, Cham: International Scientific Conference Energy Management of Municipal Transportation Facilities and Transport*. 2018. Vol. 692. Pp. 818–829.
 22. *Fireproofing for hydrocarbon fire exposures*. GAPS Guidelines. Publication of Global Asset Protection Services LLC.
 23. Russian State Standard GOST R EN 1363-2-2014 "Konstruktsii stroitelnyye. Ispytaniya na ognestoykost. Chast 2. Alternativnyye i dopolnitelnyye metody" [Fire resistance tests. Alternative and additional procedures]. (rus)
 24. Gravit M., Gumenyuk V., Sychov M., Nedryshkin O. Estimation of the pores dimensions of intumescent coatings for increase the fire resistance of building structures. *Procedia Engeneering*. 2015. Vol. 117. Pp. 119–125.
 25. Dybal D.A., Shishilov O.N., Garustovich I.V. Passivnaya ognезashchita v usloviyakh uglevodorodnogo pozhara [Passive fire protection in a hydrocarbon fire]. *Lakokrasochnyye materialy i ikh primeneniye*. 2017. No. 6. Pp. 16–19. (rus)
 26. Zybina O., Gravit M., Stein Y. Influence of carbon additives on operational properties of the intumescent coatings for the fire protection of building construction. *IOP Conference Series: Earth and Environmental Science*. 2017. Vol. 90. Pp. 1–4.
 27. Jimenez M., Bellayer S., Revel B., Duquesne S., Bourbigot S. Comprehensive study of the influence of different aging scenarios on the fire protective behavior of an epoxy based intumescent coating. *Industrial and Engineering Chemistry Research*. 2013. Vol. 52. Pp. 729–743.
 28. Gardelle B., Duquesne S., Vandereecken P, Bellayer S., Bourbigot S. Resistance to fire of intumescent silicone based coating: The role of organoclay. *Progress in Organic Coatings*. 2013. Vol. 76. Pp. 1633–1641.
 29. Bourbigot S, Naik A.D., Bachelet P., Duquesne S. Novel dynamic method for evaluating the char strength of intumescent coatings. *Foreign Language Association of Maine, Annual Conference*. 2016
 30. Огнезащитная штукатурка FENDOLITE-MII [Электронный ресурс]. Систем. требования: Internet Explorer. URL: <https://www.promat.ru/ru-ru/ognezashchitnye-materialy/ognezashchitnyye-shtykatutki/promaspray-f5>. (дата обращения: 16.04.18)
 31. Database of Underwriters Laboratory [Электронный ресурс]. Систем. требования: Internet Explorer. URL: http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.html?_ga=2.154590717.417029873.1502435981-973715613.1499071474 (дата обращения: 16.04.2018).

Marina Gravit,
+7(912)912-64-07; marina.gravit@mail.ru

Elena Golub,
+7(911)972-24-66; alen-go@bk.ru

Sergey Antonov,
+7(903)107-61-52; asp@prozask.ru

Марина Викторовна Гравит,
+7(912)912-64-07;
эл. почта: marina.gravit@mail.ru

Елена Владимировна Голуб,
+7(911)972-24-66; эл. почта: alen-go@bk.ru

Сергей Порфирьевич Антонов,
+7(903)107-61-52; эл. почта: asp@prozask.ru

© Gravit M.G., Golub E.V., Antonov S.P., 2018