

19. El-hassan, H., Kianmehr, P., Zouaoui, S. Properties of pervious concrete incorporating recycled concrete aggregates and slag [Online]. *Construction and Building Materials*. 2019. 212. Pp. 164–175. DOI: 10.1016/j.conbuildmat.2019.03.325. URL: <https://doi.org/10.1016/j.conbuildmat.2019.03.325>.
20. Szumiec, M. *Proceedings of the International Workshop on Global Optimization 2004*.
21. Wang, F., Zheng, S.S., Wang, X.F. Influence of Silica Fume on High-Performance Concrete. *Applied Mechanics and Materials*. 2014. 670–671. Pp. 437–440. DOI: 10.4028/www.scientific.net/amm.670-671.437.
22. Rashwan, M.S., AbouRisk, S. The Properties of Recycled Concrete. *Concrete International*. 1997. 19(7). Pp. 56–60. DOI: 10.7251/COMEN1402239M.
23. Sonawane, T.R., Pimplikar, P.S.S. Use of Recycled Aggregate Concrete. *Journal of Mechanical and Civil Engineering (IOSR-JMCE)*. 2012. 1(2). Pp. 52–59.
24. Oikonomou, N.D. Recycled concrete aggregates. *Cement and Concrete Composites*. 2005. 27(2). Pp. 315–318. DOI: 10.1016/j.cemconcomp.2004.02.020.
25. Etxeberria, M., Marí, A.R., Vázquez, E. Recycled aggregate concrete as structural material. *Materials and Structures/Materiaux et Constructions*. 2007. 40(5). Pp. 529–541. DOI: 10.1617/s11527-006-9161-5.
26. Poh, S., Zhao, P., Chen, C., Goh, Y., Adebayo, H., Hung, K., Wah, C. Characterization of pervious concrete with blended natural aggregate and recycled concrete aggregates [Online]. *Journal of Cleaner Production*. 2018. 181. Pp. 155–165. DOI: 10.1016/j.jclepro.2018.01.205. URL: <https://doi.org/10.1016/j.jclepro.2018.01.205>.
27. Plassard, C., Lesniewska, E., Pochard, I., Nonat, A. Investigation of the surface structure and elastic properties of calcium silicate hydrates at the nanoscale. *Ultramicroscopy*. 2004. 100(3–4). Pp. 331–338. DOI: 10.1016/j.ultramic.2003.11.012.
28. Sadrumontazi, A., Tahmouresi, B., Saradar, A. Effects of silica fume on mechanical strength and microstructure of basalt fiber reinforced cementitious composites (BFRCC) [Online]. *Construction and Building Materials*. 2018. 162. Pp. 321–333. DOI: 10.1016/j.conbuildmat.2017.11.159. URL: <https://doi.org/10.1016/j.conbuildmat.2017.11.159>.
29. King, D. The effect of silica fume on the properties of concrete as defined in concrete society report 74, cementitious materials. 37th Conference on our world in concrete and structures, Singapore. 2012. Pp. 29–31.
30. Mikulčić, H., Vujanović, M., Duić, N. Reducing the CO₂ emissions in Croatian cement industry. *Applied Energy*. 2013. 101. Pp. 41–48. DOI: 10.1016/j.apenergy.2012.02.083.
31. Holland, T.C. *Silica fume user's manual*. Federal Highway Administration. 2005. Pp. 194.
32. Wang, Q.L., Bao, J.C. Effect of Silica Fume on Mechanical Properties and Carbonation Resistance of Concrete. *Applied Mechanics and Materials*. 2012. 238(November). Pp. 161–164. DOI: 10.4028/www.scientific.net/amm.238.161.
33. Fu, T.C., Yeh, W., Chang, J.J., Huang, R. The Influence of Aggregate Size and Binder Material on the Properties of Pervious Concrete. 2014. 2014.
34. P. Kumar Mehta. High-Performance, High-Volume Fly Ash Concrete for Sustainable Development [Online]. *International Workshop on Sustainable Development and Concrete Technology*. 2008. 31(4). Pp. 3–14. URL: <http://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2009-09898-004&lang=fr&site=ehost-live&scope=site>.
35. Mazloom, M., Soltani, A., Karamloo, M., Hassanloo, A. Effects of silica fume, superplasticizer dosage and type of superplasticizer on the properties of normal and selfcompacting concrete. *Advances in Materials Research*. 2018. 7(1). Pp. 407–434. DOI: 10.12989/amr.2018.7.1.407.
36. Imam, A., Srivastava, V. Review study towards effect of Silica Fume on the fresh and hardened properties of concrete. 2018. (April). DOI: 10.12989/acc.2018.6.2.145.
37. ASTM C 150. Standard Specification for Portland Cement. ASTM International. 2015. (June 1999). Pp. 1–6. DOI: 10.1520/C0010.
38. ASTM C1688/C1688M. Standard Test Method for Density and Void Content of Freshly Mixed Pervious Concrete. ASTM International. 2014. i. Pp. 1–4. DOI: 10.1520/C1688.
39. ASTM C1754/C1754M-12. Standard Test Method for Density and Void Content of Hardened Pervious Concrete. ASTM International. 2012. Pp. 3. DOI: 10.1520/C1754.
40. ASTM C1781/C1781M. Standard Test Method for Surface Infiltration Rate of Permeable Unit Pavement [Online]. ASTM International. 2015. i. Pp. 1–6. DOI: 10.1520/C1781. URL: <http://compass.astm.org/download/C1781C1781M.8914.pdf>.
41. ASTM C39/C39M-14. Standard Test Method for Compressive Strength of Cylindrical Concrete Specimens [Online]. ASTM International. 2014. Pp. 1–8. DOI: 10.1520/C0039. URL: <http://www.astm.org/cgi-bin/resolver.cgi?C39C39M-17b>.
42. ASTM C496/C496M-11. Standard Test Method for Splitting Tensile Strength of Cylindrical Concrete Specimens [Online]. *Annual Book of ASTM Standards Vol. 04.02*. 2011. Pp. 1–5. DOI: 10.1520/C0496. URL: <http://www.c-s-h.ir/wp-content/uploads/2015/01/C-496.pdf> %0Aftp://ftp.astmtmc.cmu.edu/docs/diesel/cummins/procedure_and_ils/ism/Archive/ISM Procedure (Draft 10).doc.
43. ASTM Standard C78/C78M. Standard Test Method for Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading). ASTM International. 2010. C78-02(C). Pp. 1–4. DOI: 10.1520/C0078.
44. ASTM C1747. Standard Test Method for Determining Potential Resistance to Degradation of Pervious Concrete by Impact and Abrasion 1. ASTM International. 2015. (c). Pp. 5–7. DOI: 10.1520/C1747.
45. Rizvi, R., Tighe, S., Henderson, V., Norris, J. Evaluating the Use of Recycled Concrete Aggregate in Pervious Concrete Pavement [Online]. *Transportation Research Record*. 2010. 2164(1). Pp. 132–140. DOI: 10.3141/2164-17. URL: <https://doi.org/10.3141/2164-17>.
46. Siddique, R., Khan, M.I. *Supplementary Cementing Materials 2008*.
47. Haji, A.A., Parikh, K.B., Shaikh, M.A., Jamnu, M.A. Experimental Investigation of Pervious Concrete With Use of Fly Ash and Silica Fume As Admixture. 2018. (March). Pp. 11–18.
48. Lund, M.S.M., Kevern, J.T., Schaefer, V.R., Hansen, K.K. Mix design for improved strength and freeze-thaw durability of pervious concrete fill in Pearl-Chain Bridges. *Materials and Structures/Materiaux et Constructions*. 2017. 50(1). DOI: 10.1617/s11527-016-0907-4.

Contacts:

Vera Galishnikova, +7(915)379-24-68; galishnikova-vv@rudn.ru

Shamseldin Abdo, +7(999)519-37-18; eng.shamseldin13@hotmail.com

Ahmed Fawzy, +20(111)160-96-14; engahmedfawzy90@yahoo.com