

16. Touze-Foltz, N., Giroud, J.P. Empirical equations for calculating the rate of liquid flow through composite liners due to geomembrane defects // *Geosynthetics International*. 2003. Vol. 10. No. 6. Pp. 215–233.
17. Giroud, J.P., Thiel, R.S., Kavazanjian E. Hydrated area of a bentonite layer encapsulated between two geomembranes // *Geosynthetics International*. 2004. Vol. 11. No. 4. Pp. 330–354.
18. Koerner, R.M., Hsuan, Y.G., Koerner, G.R. Lifetime predictions of exposed geotextiles and geomembranes // *Geosynthetics International*. 2017. Vol. 24. No. 2. Pp. 198–212.
19. Skuero, A.M., Basketti, G.L. Geomembranes - well-proven water-permeable systems in hydraulic structures // *International digest on hydraulic engineering and landfills*. 2007. Pp. 59–68.
20. Pryamitsky, A.V., Schlee, Yu. Bentonitovye maty kak al'ternativnyj material dlya protivofil'tracionnyh elementov gidrotekhnicheskikh sooruzhenij [Bentonite mats as an alternative material for seepage-control elements of hydraulic structures]. *Hydrotechnics XXI century*. 2010. No 1. Pp. 72–75. (rus)
21. AbdelRazek, A.Y., Kerry, Rowe R. Interface transmissivity of conventional and multicomponent GCLs for three permeants // *Geotextiles and Geomembranes*. 2019. Vol. 47. No. 1. Pp. 60–74.
22. Prabakaran, P.A., Sathyamoorthy, G.L., Adhimayan, M. An experimental and comparative study on canal lining exploitation geosynthetic material, cement mortar and material lining. *International Journal of Recent Technology and Engineering*. 2019. Vol. 7. No. 4. Pp. 81–83.
23. Cen, W.He, H.Li, D. Influence of geomembrane defect on seepage property of earth-rock dams and measures of seepage control // *Advances in Science and Technology of Water Resources*. 2017. Vol. 37. No. 3. Pp. 61–65.
24. Koerner, R.M. Koerner, G.R. Hsuan, Y. Exposed geomembrane geosynthetic clay liner composites for solid waste covers, liquid impoundment liners, and canal liners // *Geotechnical Special Publication*. 2016. No. 274. Pp. 22–35.
25. Koerner, G.R., Koerner, R.M. The durability of exposed geomembrane covers // *Geotechnical Special Publication Issue*. 2017. Vol. 276. Pp. 139–147.
26. Sainov, M.P., Zverev, A.O. Workability of high rockfill dam with a polymer face. *Magazine of civil Engineering*. 2017. No. 7. Pp. 76–83.
27. Zverev, A.O., Sainov, M.P., Lukichev R.V. Rezul'taty eksperimental'nogo issledovaniya polimernyh geomembran na dvuhosnoe rastyazhenie [The results of an experimental study of polymeric geomembranes on biaxial tension]. *Vestnik of the Eurasian Science*. 2018. No. 4. Book 10. Pp. 1–13.
28. Hydraulic engineering installations. Main provisions: SP 58.13330.2012: conf. by Ministry of Regional Development of the Russian Federation 29.12.11: enter in force from 01.01.13. M. 2012. 38 p.
29. Solsky, S.V., Orlova, N.L., Velichko, A.S. Crack self-healing in clay-cement concrete diaphragm of embankment dam. *Magazine of Civil Engineering*. 2018. No 1. Pp. 3–12.

Contacts:

Yuri Kosichenko, kosichenko-11@mail.ru

Oleg Baev, Oleg-Baev1@yandex.ru

© Kosichenko, Yu.M., Baev, O.A., 2020